




Note:

1. Charger damper fluid - use RockShox Rear Suspension Damping Fluid 3wt.
2. Charger lower leg lubricant - use RockShox Pike Suspension Oil, 0w-30.
3. Charger damper bleed - use Bleed fitting Charger Damper and RockShox Charger Damper Standard Bleed Kit.
4. For Travel Change and Bottomless Token options, see the respective pages in this catalog, listed in the Index.
5. Pike Solo Air CSUs do not come with gradients printed on the stanchion tubes.
6. **IMPORTANT:** When servicing 26" variants of Pike and moving to the new, upgraded seal head (contained in all Full Service Kits) for the first time, you must change the damper tube to 11.4018.063.000. The new damper tube will have a turned indicator mark on the lower section of the damper tube, see the Pike Service Manual for details. If your damper tube does not have this indicator mark, you must purchase the new damper tube to use the new, upgraded seal head.
7. Decal and Maxel pages can be found in back of the catalog.

PIKE A1-A2 (2014-2017)



No.	Part Number	Description
200h	00.4315.032.618	200 hour/1 year Service Kit (includes dust seals, foam rings, o-ring seals, Charger sealhead, DPA sealhead) - Pike DualPosition Air A1 (2015-2017)
200h	00.4315.032.619	200 hour/1 year Service Kit (includes dust seals, foam rings, o-ring seals, Charger sealhead, SA sealhead) - Pike/Pike DJ Solo Air A1 (2015-2017)
1	11.4018.006.191	Lower Leg Pike 2615 Disc White (decals not included)
1	11.4018.006.192	Lower Leg Pike 2615 Disc Diffusion Black (decals not included)
1	11.4018.006.193	Lower Leg Pike 27.5/650B, Maxle 15 Disc Black (decals not included)
1	11.4018.006.194	Lower Leg Pike 27.5/650B, Maxle 15 Disc White (decals not included)
1	11.4018.006.195	Lower Leg Pike 27.5/650B, Maxle 15 Disc Diffusion Black (decals not included)
1	11.4018.006.196	Lower Leg Pike 2915 Disc Black (decals not included)
1	11.4018.006.197	Lower Leg Pike 2915 Disc White (decals not included)
1	11.4018.006.198	Lower Leg Pike 2915 Disc Diffusion Black (decals not included)
2	11.4015.534.010	Hydraulic Hose Clamp, Lower Leg
3	11.4018.008.414	CSU Pike Solo Air 26 40 Off-Set Aluminum Taper Black (no gradients)
3	11.4018.008.415	CSU Pike Solo Air 26 40 Off-Set Aluminum Taper White (no gradients)
3	11.4018.008.416	CSU Pike Solo Air 26 40 Off-Set Aluminum Taper Diffusion Black (no gradients)
3	11.4018.008.417	CSU Pike Solo Air 27.5 42 Off-Set Aluminum Taper Black (no gradients)
3	11.4018.008.419	CSU Pike Solo Air 27.5 42 Off-Set Aluminum Taper Diffusion Black (no gradients)
3	11.4018.008.317	CSU Pike Dual Position Air 27.5 42 Off-Set Aluminum Taper Black
3	11.4018.008.318	CSU Pike Dual Position Air 27.5 42 Off-Set Aluminum Taper White
3	11.4018.008.319	CSU Pike Dual Position Air 27.5 42 Off-Set Aluminum Taper Diffusion Black
3	11.4018.008.420	CSU Pike Solo Air 27.5/29 46 Off-Set Aluminum Taper Black (no gradients)
3	11.4018.008.422	CSU Pike Solo Air 27.5/29 46 Off-Set Aluminum Taper Diffusion Black (no gradients)
3	11.4018.008.323	CSU Pike Dual Position Air 27.5/29 46 Off-Set Aluminum TaperBlack
3	11.4018.008.324	CSU Pike Dual Position Air 27.5/29 46 Off-Set Aluminum TaperWhite
3	11.4018.008.325	CSU Pike Dual Position Air 27.5/29 46 Off-Set Aluminum TaperDiffusion Black
3	11.4018.008.423	CSU Pike Solo Air 29 51 Off-Set Aluminum Taper Black (no gradients)
3	11.4018.008.425	CSU Pike Solo Air 29 51 Off-Set Aluminum Taper Diffusion Black (no gradients)
3	11.4018.008.330	CSU Pike Dual Position Air 29 51 Off-Set Aluminum Taper White
3	11.4018.008.331	CSU Pike Dual Position Air 29 51 Off-Set Aluminum Taper Diffusion Black
4	11.4018.028.013	Dust Seal/Foam Ring Black 35mm SKF Seal, 6mm Foam Ring - PIKE/Lyrik B1/Yari/BoXXer/Domain Dual Crown
5	11.4015.403.040	Shaft Fastener Kit PIKE (Includes shaft bolts and crush washers)
6	11.4015.404.020	Rebound Adjuster Knob/Bolt Kit - Lyrik B1/PIKE
7a	11.4015.547.080	Knob Kit, Compression Damper, RC - Lyrik B1/PIKE
7b	11.4015.547.090	Knob Kit, Compression Damper, RCT3 - Lyrik B1/PIKE
9c	11.4018.030.003	Compression Piston Assembly - Pike DJ
10a	11.4018.009.028	Damper Internals Right Charger PIKE RC 29 Crown Adjust
10b	11.4018.009.029	Damper Internals Right Charger PIKE RCT3 26 Crown Adjust
10b	11.4018.009.030	Damper Internals Right Charger PIKE RCT3 27.5 Crown Adjust
10b	11.4018.009.031	Damper Internals Right Charger PIKE RCT3 29 Crown Adjust
10c	11.4018.009.067	Damper Internals Right Charger PIKE RC DJ (100mm travel) Crown Adjust
10c	11.4018.009.068	Damper Internals Right Charger PIKE RC DJ (140mm travel) Crown Adjust
11a	11.4018.025.004	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RC 26
11a	11.4018.025.005	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RC 27.5
11a	11.4018.025.006	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RC 29
11b	11.4018.025.007	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RCT326
11b	11.4018.025.008	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RCT327.5
11b	11.4018.025.009	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RCT329
11c	11.4018.025.015	Rebound Damper and Seal Head Assembly/Shaft Bolt - Pike DJ (100mm travel)
11c	11.4018.025.016	Rebound Damper and Seal Head Assembly/Shaft Bolt - Pike DJ (140mm travel)
12	11.4015.353.030	Seal Head Assembly (Rebound Damper, Charger) 35mm - PIKE/Lyrik B1
13	11.4018.031.000	Charger Bladder Assembly - Pike
14	11.4018.012.004	Air Top Cap, Solo Air 35mm PIKE/BOXXER
15	11.4018.010.107	Spring Internals Left Solo Air PIKE 26-160, 27.5-150 (includes air top cap, solo air spring and shaft bolt)
15	11.4018.010.138	Spring Internals Left Solo Air PIKE 27-140 (includes air topcap, 1 bottomless token, solo air spring and shaft bolt)
15	11.4018.010.108	Spring Internals Left Solo Air PIKE 27.5-160 (includes air top cap, solo air spring and shaft bolt)
15	11.4018.010.110	Spring Internals Left Solo Air PIKE 29-140 (includes air topcap, 2 bottomless tokens, solo air spring and shaft bolt)
15	11.4018.010.111	Spring Internals Left Solo Air PIKE 29-150 (includes air topcap, 1 bottomless token, solo air spring and shaft bolt)
15	11.4018.010.112	Spring Internals Left Solo Air PIKE 29-160 (includes air topcap, 1 bottomless token, solo air spring and shaft bolt)
15a	11.4018.010.146	Spring Internals Left Solo Air Pike DJ 100 (includes DJ topcap assy, solo air spring and shaft bolt)
15a	11.4018.010.148	Spring Internals Left Solo Air Pike DJ 140 (includes top capassy, bottomless tokens [qty 2], solo air spring and shaftbolt)
16	11.4018.010.113	Spring Internals Left Dual Position Air PIKE 26-150 (includes air top cap, adjuster knob, Dual Spring Assembly and shaftbolt)
16	11.4018.010.114	Spring Internals Left Dual Position Air PIKE 26-160, 27.5-150 (includes air top cap, adjuster knob, Dual Spring Assembly and shaft bolt)
16	11.4018.010.115	Spring Internals Left Dual Position Air PIKE 27.5-160 (includes air top cap, adjuster knob, Dual Spring Assembly and shaft bolt)
16	11.4018.010.116	Spring Internals Left Dual Position Air PIKE 29-150 (includes air top cap, adjuster knob, Dual Spring Assembly and shaftbolt)
16	11.4018.010.117	Spring Internals Left Dual Position Air PIKE 29-160 (includes air top cap, adjuster knob, Dual Spring Assembly and shaftbolt)
17	11.4018.026.000	Air Shaft Solo Air - PIKE (160mm 26/150mm 27.5/130mm 29), Yari/Pike 29+ (140mm)
17	11.4018.026.003	Air Shaft Solo Air - PIKE (150mm 26/140mm 27.5/120mm 29), Yari/Pike 29+ (130mm)
17	11.4018.026.010	Air Shaft Solo Air - PIKE (140mm 26/130mm 27.5), Yari/Pike 29+ (120mm)
17	11.4018.026.011	Air Shaft Solo Air - PIKE (130mm 26/120mm 27.5)
17	11.4018.026.012	Air Shaft Solo Air - PIKE (120mm 26)
17	11.4018.026.018	Air Shaft Solo Air - PIKE (100mm 26)
17	11.4018.026.019	Air Shaft Solo Air - PIKE (110mm 26)
17	11.4018.026.002	Air Shaft Solo Air - PIKE (160mm 29), Lyrik/Yari (170mm 27.5only)
17	11.4018.026.004	Air Shaft Solo Air - PIKE (150mm 29), Lyrik/Yari/Pike 29+ (160mm)
17	11.4018.026.001	Air Shaft Solo Air - PIKE (160mm 27.5/140mm 29), Lyrik/Yari/Pike 29+ (150mm)
18	11.4018.026.005	Air Shaft Dual Position Air - PIKE (160mm 26/150mm 27.5), Lyrik/Yari/Pike 29+ (150mm)
18	11.4018.026.008	Air Shaft Dual Position Air - PIKE (150mm 26)
18	11.4018.026.006	Air Shaft Dual Position Air - PIKE (160mm 27.5), Lyrik/Yari/Pike 29+ (160mm)
18	11.4018.026.007	Air Shaft Dual Position Air - PIKE (160mm 29), Lyrik/Yari (180mm 27.5 only)
18	11.4018.026.009	Air Shaft Dual Position Air - PIKE (150mm 29), Lyrik/Yari (170mm 27.5 only)
19a	11.4018.032.000	Bottomless Tokens Qty 3 PIKE/BoXXer B1/Lyrik B1/Yari
19a	11.4018.032.001	Bottomless Tokens Qty 10 PIKE/BoXXer B1/Lyrik B1/Yari
19b	11.4018.032.004	Bottomless Tokens Dual Position Air Qty 3 PIKE/Lyrik B1/Yari
19b	11.4018.032.005	Bottomless Tokens Dual Position Air Qty 10 PIKE/Lyrik B1/Yari
25a	11.4018.037.000	Seal head Assembly Solo Air - PIKE



No.	Part Number	Description
26	00.4318.005.001	Axle Maxle Ultimate Front MTB, 15x100, Length 148mm, ThreadLength 9mm, Thread Pitch M15x1.50 - PIKE, RS1, Lyrik B1, Yari
27	11.4318.004.000	Maxle Ultimate Lever Assembly B1
28	11.4308.327.002	Schrader Valve Core Qty 2
29	11.4018.063.000	Damper Tube Charger Damper (new version with turned indicator mark)
bulk	11.4015.259.000	Crush Washer 8mm, Qty 50
bulk	11.4015.260.000	Crush Washer Retainer, Qty 50
bulk	11.4018.028.014	Dust Seal 35mm SKF Black Qty 20 - PIKE/Lyrik B1/Yari/BoXXer/Domain Dual Crown
bulk	11.4018.028.005	Foam Ring 35mm x 6mm Qty 20 - PIKE/Lyrik B1/Yari/BoXXer/Domain Dual Crown
ns	11.4318.003.436	Decal Kit PIKE 26/27.5/29 White/Black Lower Leg
ns	11.4318.003.437	Decal Kit PIKE 26/27.5/29 Black/White Lower Leg
ns	11.4318.003.438	Decal Kit PIKE 26/27.5/29 White/Diffusion Black Lower Leg
ns	11.4318.003.393	Decal Kit Pike DJ Silver/White Lower Leg
ns	11.4309.073.000	Kit Disk Brake Cable Accessory
ns	00.4315.023.010	High-Pressure Fork/Shock Pump (300 psi Max) RockShox
ns	00.4315.023.040	High-Pressure Fork/Shock Pump (300 psi Max) RockShox DigitalGauge
ns	00.4315.022.010	Schrader Valve Removal Tool Rockshox
ns	00.4318.008.000	Grease SRAM Butter 20ml Syringe, Friction Reducing Grease bySlickoleum - Recommended for X0/Rise XX/Roam 40, 30/Rail 40/Rise 60 B1/ Hub Pawls, RockShox Forks and Reverb Service
ns	00.4318.008.001	Grease SRAM Butter 1oz Container, Friction Reducing Grease by Slickoleum - Recommended for X0/Rise XX/Roam 40, 30/Rail 40/Rise 60 B1/ Hub Pawls, RockShox Forks and Reverb Service
ns	11.4315.021.080	RockShox Suspension Oil, 0W-30, 120ml Bottle - Pike/Lyrik B1/Yari Lower Legs
ns	11.4015.354.050	RockShox Suspension Oil, 0-W30, 1 Liter Bottle - Pike/LyrikB1/Yari Lower Legs
ns	11.4315.021.050	RockShox Suspension Oil, 3wt 120ml Bottle - Rear Shock Damper/Charger Damper
ns	11.4315.004.020	RockShox Suspension Oil, 3wt 16oz Bottle - Rear Shock Damper/Charger Damper
ns	11.4318.010.000	Bleed fitting Charger Damper (fits basic Rockshox Bleed Kit,3mm ID)
ns	00.4318.007.000	RockShox Charger Damper Standard Bleed Kit (includes 1 Syringe, Charger Bleed fitting, Suspension Oil 3w)