Grand Prix TR



TECHNOLOGY



SIZES



FEATURES







Grand Prix TR





SIZES



FEATURES



The perfect option for those looking for a great value tire that is tubeless-ready. It comes with BlackChili Compound and has an all-new 4-ply construction, that perfectly balances puncture protection and rolling resistance. Whether training, commuting or going the distance - the Grand Prix TR has you covered.



With our unique tread compound, we have revolutionized the sport of cycling. With the legendary **BlackChili Compound** we have answered the eternal question of the best balance of grip and rolling resistance for cycling. The latest polymers as well as specially developed carbon black particles and filler materials guarantee unique performance, be it on a road, gravel or a mountain bike, for time trialling or downhill.



All **Tubeless Ready** tires have been designed with versatility in mind. It's your choice: set up tubeless using Sealant or use an innertube.



The robust **4-ply construction** balances rolling resistance, low weight and puncture resistance.





Grand Prix TR





SIZES





Grand Prix TR							
BlackChili Compound - 4/240 TPI							TR
Article	ETRTO	Dimension	Color/sidewall	g	max. PSI	EAN	RRP/€
0150728	25-622	28" 700 x 25C	foldable	270*	108	4 019238 097955	61,95
0150729	25-622	28" 700 x 25C	foldable	280*	108	4 4019238 097931	61,95
0150731	28-622	28" 700 x 28C	foldable	345	94	4 019238 098068	61,95
0150732	28-622	28" 700 x 28C	foldable	370*	94	4 019238 098082	61,95
0150733	30-622	28" 700 x 30C	foldable	370	72	4 019238 098105	61,95
0150734	30-622	28" 700 x 30C	foldable	395*	72	4 019238 098129	61,95
0150735	32-622	28" 700 x 32C	foldable	390	72	4 019238 098143	61,95
0150736	32-622	28" 700 x 32C	foldable	405*	72	4 019238 098167	61,95







Tubeless Ready:

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tire. Then spin the tire (wheel) to spread the Conti RevoSealant inside of the tire and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.

This tire is Hookless compatible to its limited max. pressure. Please check wheel instruction and tire packaging for detailed information.







TECHNOLOGY



SIZES



FEATURES





