RIDE YOUR WAY NEWSONS STATES AND STATES AND

SRAM.

EMBARGO: 04.02.2015





For every bike, there's a rider. A rider who builds it. A rider who knows it. A rider who's always ready to take the bike somewhere new. Introducing GX, the drivetrain for people who love to ride without restraint. From beginner to expert, GX delivers personalized gear choices that take you as far and wide as you want to go. Engineered in Germany with 1x and 2x options, SRAM GX brings the power of riding to everyone, everywhere.





THE NEXT GENER-ATION OF SRAM







RETAIL: JULY 2015 EMBARGO: 04.02.2015

SRAM 1x11		SRAM Advantage
32	420%	
SHIMANO 1x10		
34	327%	
SHIMANO 1x11		
32	382%	



The SRAM GX crankset delivers consistent performance every time out. Featuring SRAM's X-SYNC[™] tooth profile, the GX crankset is engineered for complete chain control. Each tooth's thickness is CNC machined to work seamlessly with the chain's inner and outer links. And with five available chainrings (30-32-34-36-38), you can personalize your gear range to match the way you ride.

- Open Core Technology AL (GX-1400 Crankset)
- 6000 series AL (GX-1000 Crankset)
- CNC machined 7075, two-tone anodized X-SYNC[™] chainring (30-32-34-36-38)
- Bottom bracket configurations: PressFit 30, BB30, GXP, and PressFit GXP
- Chainring guard option
- Crank lengths: 175, 170
- · Colors: Black, Red
- 24 and 30mm options
- Boost[™] 148 compatible
- Technologies: X-SYNC™
- Weight: 680g (GX-1400, GXP, 175mm, 32t); 720g (GX-1000, GXP, 175mm, 32t)





PRODUCT

MY16 PRODUCT OVERVIEW **GX 1x11 REAR DERAILLEUR**

The SRAM GX X-HORIZON™ rear derailleur is engineered for smooth, reliable shifting action from the larger upper pulley offset to the 12tooth X-SYNC[™] pulley wheels. By eliminating unwanted chain movement, X-HORIZON™ shifts faster, puts an end to ghost shifting and reduces shift force and chain slap. And with CAGE LOCK[™] technology, wheel removal and installation are easier than ever.

- X-HORIZON[™] design reduces shift force, ghost shifting and chain slap
- 12-tooth X-SYNC[™] pulley wheels
- · Large upper pulley offset automatically adjusts chain gap
- Sealed cartridge bearings
- Aluminum cage
- · Colors: Black, Red
- Technologies: X-HORIZON™, X-ACTUATION™, X-SYNC™, ROLLER BEARING CLUTCH™, CAGE LOCK™
- · Weight: 394g





PRODUCT

GX

Get sharp, dependable shifting with the SRAM GX X-ACTUATION™ trigger shifter. Built for precise and swift shifting across our wide range 11-speed cassette, the GX trigger shifter brings championship technology to everyone.

_

- SRAM 1x[™] X-ACTUATION[™] for precise and dependable 11-speed performance
- · Multi-position mounting
- · MatchMaker compatible
- · Aluminum pull lever
- Discrete clamp
- · Colors: Black, Red
- Technologies: X-ACTUATION[™], MatchMaker Integrated
- Weight: 122g





PRODUCT

MY16 PRODUCT OVERVIEW **GX 11-SPEED GRIP SHIFT**



Designed for the most discerning, performance obsessed riders, new GX 11-speed Grip Shift features lightweight construction and delivers outstanding speed and precision.

- SRAM 1x[™] X-ACTUATION[™] for precise and dependable 11-speed performance
- Full metal, 11-speed indexing keeps shifting crisp and precise with Grip Shift
- Three rows of ball bearings provide zero friction or play reducing the force needed to shift and promoting long-term performance under all weather conditions with Grip Shift
- · Once the Grip Shift shifter and grip interlock securely, forged aluminum clamps on either end reinforce the assembly by locking tightly to handlebar
- · Colors: Black, Red
- Technologies: X-ACTUATION™, SPEED METAL™, ROLLING THUNDER™, JAWS™
- · Weight: 144g





MY16 PRODUCT

GX

FULL PIN[™] technology uses eleven lightweight, stamped steel cogs held together with 123 high-strength stainless steel pins. The result: a cassette that's light, durable and equipped with SRAM's super wide 10-42 gear range that's a perfect fit for any ride. The open design similar to our X-DOME[™] cassette aids in mud clearance, giving you cleaner shifting performance and longer component life.

- 10-42T range
- XD[™] driver body compatible
- Technologies: FULL PIN[™], XD[™] driver body, JET[™]
- Weight: 394g





GX

The recommended chain for GX, PC-X1, comes from a long line of dependable, lightweight chains that are built for toughness. Designed with SRAM's trusted XX1 geometry, the PC-X1 features solid pin construction, 11-speed PowerLock™ and smooth, efficient shifting that you can count on every time out.

FEATURES / BENEFITS

- SRAM 1x[™] specific chain designed with our XX1 geometry
- · Solid pin construction
- 11-speed POWERLOCK[™]
- · Color: Black/Silver

0

PRODUCT

- Technologies: X-SYNC[™], POWERLOCK[™]
- Weight: 258g (114 links)





SRAM 1x™ TECHNOLOGIES

GX 1x11 uses the same core technologies as XX1, X01 and X1 drivetrain systems.

X-SYNC™

X-HORIZON™

ROLLER BEARING CLUTCH™

CAGE LOCK™

X-DOME™

MY16 PRODUCT OVERVIEW

FULL PIN™

XD™ DRIVER BODY

X-ACTUATION™

JET™





Take every ride further with a drivetrain focused on efficiency, durability, and the possibility to go wherever your bike can take you. Introducing GX 2x, simpler than a 3x drivetrain and the widest 2x gear range on the market. Engineered in Germany, GX 2x stands up to every challenge in front of you — from broken pavement to alpine hazards. GX 2x lets you ride as far and wide as your legs will take you.







THE NEXT GENER-ATION OF SRAM



MY16 PRODUCT OVERVIEW

RETAIL: AUG. 2015 EMBARGO: 04.02.2015

SRAM 2x11		SRAM Advantage
36-24	630%	
SHIMANO 2x10		
42-30	458%	
38-26	478%	
38-24	518%	
SHIMANO 2x11		
38-28	494%	
36-26	503%	
34-24	515%	



SRAM 2x11		SRAM Advantage
36-24	630%	
SHIMANO 3x10		
42-32-24	573%	



The SRAM GX 2x crankset delivers consistent performance every time out. Featuring SRAM's X-GLIDE chainrings, the GX crankset is engineered for 2x shifting performance. When paired with our wide range 10-42 cassette and GX 2x rear derailleur, GX 2x11 provides the widest range of gears ever offered on a 2x drivetrain.

- Open Core Technology AL (GX 1400 Crankset)
- 6000 series AL (GX 1000 Crankset)
- X-GLIDE[™] 2x11 shifting technology
- Chainring option: 36-24
- Bottom bracket configurations: PressFit 30, BB30, GXP, and PressFit GXP
- Chainring guard option
- Crank lengths: 175, 170
- · Colors: Black, Red
- 24 and 30mm options
- Boost[™] 148 compatible
- Technologies: X-GLIDE™
- Weight: 727g (GX-1400, GXP, 175mm); 774g (GX-1000, GXP, 175mm)





MY16 PRODUCT

MY16 PRODUCT OVERVIEW

GX 11-SPEED FRONT DERAILLEUR

The low-profile GX 11-speed front derailleur was designed specifically for SRAM 2x11 X-GLIDE™ shifting. When paired with our wide range 10-42 cassette and GX 2x rear derailleur, GX 2x11 provides the widest range of gears ever offered on a 2x drivetrain. Offered in a wide variety of clamp-mount and direct-mount options.

- Wide range 2x11 systems with X-GLIDE[™] front shifting technology
- · High Clamp, Low Clamp, High Direct Mount, Mid Direct Mount, Low Direct Mount
- · Dedicated top and bottom pull
- Technologies: X-ACTUATION[™], X-GLIDE[™]
- Weight: 123-153g





MY16 PRODUCT OVERVIEW **GX 2x11 REAR DERAILLEUR**



Leveraging the legendary history of SRAM shifting, the GX 2x11 rear derailleur provides incredible shifting speed and precision. X-ACTUATION[™] technology eliminates slop and shifting variation. ROLLER BEARING CLUTCH[™] technology delivers maximum drivetrain stability—even through the most punishing terrain. And with CAGE LOCK™ technology, wheel removal and installation are easier than ever.

- X-ACTUATION[™] for precise and dependable 11-speed performance
- · Focused chassis design for all conditions and usage
- 10-42 wide range cassette compatible
- · Colors: Black, Red
- Technologies: X- ACTUATION™, ROLLER BEARING CLUTCH™, CAGE LOCK™
- Weight: 289g (long cage), 286g (medium cage)





PRODUCT

MY16

MY16 PRODUCT OVERVIEW **GX 2x11 TRIGGER SHIFTERS**



Get sharp, dependable shifting with the SRAM GX X-ACTUATION™ trigger shifters. Built for precise and swift shifting across our wide range 11-speed cassette, the GX trigger shifters brings championship technology to everyone.

- Dedicated 2-speed shifter and 11-speed trigger shifters
- X-ACTUATION[™] for precise and dependable 11-speed performance
- · Multi-position mounting
- Aluminum pull lever
- · MatchMaker compatible
- · Colors: Black, Red
- Technologies: X-ACTUATION[™], MatchMaker Integrated
- Weight: 242g (per pair)





PRODUCT

SRAM MTB EDT GLOBAL ANNOUNCEMENT

MY16 PRODUCT OVERVIEW **GX 2x11 GRIP SHIFT**



Designed for the most discerning, performance obsessed riders, new GX 2x11 Grip Shift features lightweight construction and delivers outstanding speed and precision.

- X-ACTUATION[™] for precise and dependable 11-speed performance
- · Full metal, 11-speed indexing keeps shifting crisp and precise with Grip Shift
- Three rows of ball bearings provide zero friction or play reducing the force needed to shift and promoting long-term performance under all weather conditions with Grip Shift
- · Once the Grip Shift shifter and grip interlock securely, forged aluminum clamps on either end reinforce the assembly by locking tightly to handlebar
- · Colors: Black, Red
- Technologies: X-ACTUATION™, SPEED METAL™, ROLLING THUNDER™, JAWS™
- Weight: 286g (per pair)





MY16 PRODUCT

GX

FULL PIN[™] technology uses eleven lightweight, stamped steel cogs held together with 123 high-strength stainless steel pins. The result: a cassette that's light, durable and equipped with SRAM's super wide 10-42 gear range that's a perfect fit for any ride. The open design similar to our X-DOME[™] cassette aids in mud clearance, giving you cleaner shifting performance and longer component life.

- 10-42T range
- XD[™] driver body compatible
- Technologies: FULL PIN[™], XD[™] driver body, JET[™]
- Weight: 394g





The recommended chain for GX, PC-X1, comes from a long line of dependable, lightweight chains that are built for toughness. Designed with SRAM's trusted XX1 geometry, the PC-X1 features solid pin construction,

11-speed PowerLock[™] and smooth, efficient

shifting that you can count on every time out.

PRODUCT

MY16

- · Solid pin construction
- 11-speed POWERLOCK[™]
- · Color: Black/Silver
- Technologies: X-SYNC[™], POWERLOCK[™]
- Weight: 258g (114 links)





SRAM 2x11 PRODUCT **TECHNOLOGIES**

SRAM 2x11 TECHNOLOGIES

X-GLIDE™

ROLLER BEARING CLUTCH™

CAGE LOCK™

X-DOME™

FULL PIN™

XD™ DRIVER BODY

X-ACTUATION™

JET™

MY16 PRODUCT OVERVIEW



SRAM.



THE NEXT GENER-ATION OF SRAM

RETAIL: JUNE 2015 EMBARGO: 04.02.2015 The SRAM GX 2x crankset delivers consistent performance every time out. Featuring SRAM's X-GLIDE™ chainrings, the GX crankset is engineered for 2x shifting performance. Flawless shifting means you'll never again compromise your speed and power in unpredictable off-road terrain. No more missed shifts, ever. X-GLIDE™ puts you in the right gear, right now.

- 6000 series AL (GX 1000 Crankset)
- X-GLIDE[™] 2x10 shifting technology
- Bottom bracket configurations: PressFit 30, BB30, GXP, and PressFit GXP
- Chainring options: 38-24, 36-22
- Chainring guard option
- Crank lengths: 175, 170
- · Color: Black
- 24 and 30mm options
- Boost[™] 148 compatible
- Technologies: X-GLIDE™
- Weight: 799g (GXP, 175mm, 36/22)





MY16 PRODUCT

SRAM MTB EDT -GLOBAL ANNOUNCEMENT

MY16 PRODUCT OVERVIEW

GX 10-SPEED FRONT DERAILLEUR



The low-profile GX 10-speed front derailleur was designed specifically for SRAM X-GLIDE™ shifting. Flawless shifting means you'll never again compromise your speed and power in unpredictable off-road terrain. No more missed shifts, ever. X-GLIDE™ puts you in he right gear, right now.

- 2x10 systems with X-GLIDE[™] front shifting technology
- High Clamp, Low Clamp, High Direct Mount, Low Direct Mount, Mid Direct Mount
- · Dedicated top and bottom pull
- Technologies: X-GLIDE[™], EXACT ACTUATION[™]
- Weight: 134-161g





PRODUCT OVERVIEW

MY16 PRODUCT OVERVIEW **GX 2x10 REAR DERAILLEUR**

Leveraging the legendary history of SRAM shifting, the GX 2x10 rear derailleur provides incredible shifting speed and precision. EXACT ACTUATION™ technology eliminates slop and shifting variation. ROLLER BEARING CLUTCH[™] technology delivers maximum drivetrain stability—even through the most punishing terrain. And with CAGE LOCK[™] technology, wheel removal and installation are easier than ever.

- EXACT ACTUATION[™] for precise and dependable 10speed performance
- · Cage lengths: Short, Medium and Long
- · Color: Black
- Technologies: EXACT ACTUATION™, DIRECT ROUTE, ROLLER BEARING CLUTCH™, CAGE LOCK™
- Weight: 302g (long cage with ROLLER BEARING) CLUTCH[™])





MY16 PRODUCT OVERVIEW **GX 2x10 TRIGGER SHIFTERS**



The GX 2x10 trigger shifters feature an aluminum lever, resulting in minimal weight with maximum durability. Pair the GX 2x10 trigger shifters with the MatchMaker clamp to streamline your handlebar setup. The GX trigger shifters maintain the legacy of X0 shifting with features and technologies optimized for 2x10 and EXACT ACTUATION™.

OVERVIEW

PRODUCT

- Dedicated 2-speed and 10-speed trigger shifters
- SRAM's 2x10 EXACT ACTUATION™ for precise and dependable 10-speed performance
- Multi-position mounting
- MatchMaker compatible
- Aluminum pull lever
- · Color: Black
- Technologies: EXACT ACTUATION™, MatchMaker Compatible
- · Weight: 246g (per pair)





2x10 CASSETTES



PG-1050

 The PG-1050 cassette benefits from SRAM's long history and expertise in developing cassettes. With its simple and reliable construction, it is the perfect cassette for the SRAM GX rider.

• Gear Ratios: 11-32, 12-32, 11-36, 12-36

• Technologies: PowerGlide II

• Weight: 299g (11-32T)

PG-1030

OVERVIEW

MY16 PRODUCT

 PowerGlide technology provides super-smooth shifting between gears

Gear Ratios: 11-32, 11-36Durable nickel chrome finish

• Technologies: PowerGlide

• Weight: 395g





SRAM 2x10 PRODUCT **TECHNOLOGIES**

SRAM 2x10 TECHNOLOGIES

X-GLIDE™

MY16 PRODUCT OVERVIEW

ROLLER BEARING CLUTCH™

CAGE LOCK™

EXACT-ACTUATION™



THANK YOU

