

# Drive Units

FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-0275007340	<b>Drive Unit Active Line (25 km/h)</b> Including mounting plate, lock ring, O-ring, spacer sleeve, operating and assembly instructions Only available as a replacement.	✓				
	BOS-0275007342	<b>Drive Unit Active Line (25 km/h) for Backpedal Brake</b> Including mounting plate, lock ring, O-ring, spacer sleeve, operating and assembly instructions Only available as a replacement.	✓				
	BOS-0275007746	<b>Drive Unit Active Line (25 km/h)</b> Including lock ring, O-ring, screws, logo cover 1.270.015.146, operating and assembly instructions Only available as a replacement.				✓	
	BOS-0275007747	<b>Drive Unit Active Line Plus (25 km/h)</b> Including lock ring, O-ring, screws, logo cover 1.270.015.151, operating and assembly instructions Only available as a replacement. Available from October 2017					✓
	BOS-0275007763	<b>Drive Unit Performance Line (25 km/h)</b> Black, powder coated Including logo cover 1.270.015.170, mounting plate, lock ring, O-ring, spacer sleeve, operating and assembly instructions Only available as a replacement.		✓			
	BOS-0275007337	<b>Drive Unit Performance Line CX (25 km/h)</b> Black, powder coated Including logo cover 1.270.015.102, mounting plate, lock ring, O-ring, spacer sleeve, operating and assembly instructions Only available as a replacement.			✓		
	BOS-0275007339	<b>Drive Unit Active Line (32 Kph)</b> Including mounting plate, lock ring, O-ring, spacer sleeve, operating and assembly instructions Only available as a replacement.	✓				
	BOS-0275007338	<b>Drive Unit Performance Line CX (32 Kph) Black,</b> powder coated Including logo cover 1.270.015.102, mounting plate, lock ring, O-ring, spacer sleeve, operating and assembly instructions Only available as a replacement.			✓		

**NEW** New article, available from September 2018

Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible









FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-0275007765	<b>Drive Unit Performance Line (32 Kph)</b> Black, powder coated Including logo cover 1.270.015.170, mounting plate, lock ring, O-ring, spacer sleeve, operating and assembly instructions Only available as a replacement.		✓			
	BOS-0275007748	<b>Drive Unit Active Line (32 Kph)</b> Including lock ring, O-ring, screws, logo cover 1.270.015.146, operating and assembly instructions Only available as a replacement.				✓	
	BOS-0275007749	<b>Drive Unit Active Line Plus (32 Kph)</b> Including lock ring, O-ring, screws, logo cover 1.270.015.151, operating and assembly instructions Only available as a replacement.					✓
	BOS-1270014033	<b>Damping Films</b> 2 pieces	✓	✓	✓		
	BOS-0275007375	<b>Drive unit screws kit</b> 3 x fixing screws including washer and nut and 2 x pan head screws	✓	✓	✓		
	BOS-1270014051	<b>Spider</b> For mounting the chainring				✓	✓
	BOS-1270014037	<b>Mounting Plate</b> Including 2 damping films, pre-adhered Spacer sleeve 1.270.015.109 also required	✓	✓	✓		
	BOS-0275007380	<b>Mounting plate service kit</b> including, damping films, mounting plate and spacer sleeve	✓	✓	✓		

**NEW** New article, available from September 2018

Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible









FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-1270014052	<b>Mounting Plate</b>				✓	✓
	BOS-1270016428	<b>Lock Ring</b> For mounting the chainring O-ring 1.270.014.024 also required	✓	✓	✓		
	BOS-1270016444	<b>Lock Ring</b> For mounting the chainring O-ring 1.270.016.107 also required				✓	✓
	BOS-1270014024	<b>O-Ring</b> For mounting the chainring Lock ring 1.270.016.428 also required	✓	✓	✓		
	BOS-1270016107	<b>O-Ring</b> For mounting the chainring Lock ring 1.270.016.444 also required				✓	✓
	BOS-1270020133 <b>NEW</b>	<b>Bearing Protection Ring Service Kit "Gen 2"</b> For protecting the bearing on the drive unit 5 bearing rings including tube of grease	✓	✓	✓		
	BOS-1270020150 <b>NEW</b>	<b>Bearing Protection Ring Service Kit "Gen 3"</b> For protecting the bearing on the drive unit 8 bearing rings including tube of grease				✓	✓
	BOS-1270014053	<b>Bearing Grease Drive Unit</b> 75 g tube	✓	✓	✓		

**NEW** New article, available from September 2018

 Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible

FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-1270015539	<b>Set of Blanking Plugs for Lighting Connections</b>  2 pieces	✓	✓	✓	✓	✓
	BOS-1270020802	<b>Speed Sensor</b>  415 mm Including cable and connector	✓	✓	✓	✓	✓
	BOS-1270020800	<b>Speed Sensor</b>  600 mm Including cable and connector	✓	✓	✓	✓	✓
	BOS-1270020801	<b>Speed Sensor</b>  1,200 mm Including cable and connector	✓	✓	✓	✓	✓
	BOS-1270015931	<b>Spoke Magnet</b>  For measuring speed Only use original magnets.	✓	✓	✓	✓	✓
	BOS-1270016204	<b>Chainring</b>  15 teeth	✓	✓	✓		
	BOS-1270016202	<b>Chainring</b>  18 teeth	✓	✓	✓		
	BOS-1270016205	<b>Chainring</b>  20 teeth	✓	✓	✓		









**NEW** New article, available from September 2018

 Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible











FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-1270020322	<b>Light Cable for Headlight</b> 1,400 mm	✓	✓	✓	✓	✓
	BOS-1270020324	<b>Light Cable for Rear Light</b> 1,400 mm	✓	✓	✓	✓	✓
	BOS-1270014010	<b>Air Inlet</b> For design cover		✓	✓		
	BOS-1270015058	<b>Active Design Cover, Right, Gen2</b> Platinum	✓				
	BOS-1270015081	<b>Active Design Cover, Left, Gen2</b> Platinum Including left cover ring, black and spacer sleeve	✓				
	BOS-1270015087	<b>Active Design Cover, Inverse, Right, Gen2</b> Black	✓				
	BOS-1270015089	<b>Active Design Cover, Inverse, Left, Gen2</b> Black Including left cover ring, platinum and spacer sleeve	✓				
	BOS-1270015150	<b>Active Design Cover Front, Gen3</b>				✓	

**NEW** New article, available from September 2018

 Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible









FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-1270015148	<b>Active Design Cover, Right, Gen3</b>				✓	
	BOS-1270015149	<b>Active Design Cover, Left, Gen3</b>				✓	
	BOS-1270015144	<b>Active Plus Design Cover right</b>					✓
	BOS-1270015145	<b>Active Plus Design Cover left</b>					✓
	BOS-1270015142	<b>Active Plus Design Cover interface right</b>					✓
	BOS-1270015143	<b>Active Plus Design Cover interface left</b>					✓
	BOS-1270016013	<b>Set of Screws for Design Cover</b> 2 x thread forming screws, M4x53,5, 2 x thread forming screws M4x10, 1 x thread forming screw TORX T20				✓	✓
	BOS-1270015063	<b>Performance Design Cover, Right</b>  Anthracite		✓			

**NEW** New article, available from September 2018

 Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible




FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-1270015082	<b>Performance Design Cover, Left</b> Anthracite Including left cover ring, black and spacer sleeve		✓			
	BOS-1270015109	<b>Spacer Sleeve</b> For left design cover	✓	✓			
	BOS-1270015095	<b>Cable Protector</b> For powder-coated drive units		✓	✓		
	BOS-1270016437	<b>Set of Screws for Design Cover</b> 3 pieces	✓	✓	✓		
	BOS-1270016431	<b>Fixing Screw for Cable Protector</b> Torx pan head screw M4x10		✓	✓		
	BOS-1270015080	<b>Active Line Logo Cover, Gen2</b> Black	✓				
	BOS-1270015091	<b>Active Line Logo Cover, Gen2</b> Platinum	✓				
	BOS-1270015151	<b>Active Line Logo Cover, Gen3</b> Black				✓	

**NEW** New article, available from September 2018

 Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible




FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-1270015146	<b>Active Line Plus Logo Cover</b> Black					✓
	BOS-1270015083	<b>Performance Line Logo Cover</b> Black		✓			
	BOS-1270015170	<b>Performance Line Logo Cover</b> Black, including spacer ring If design cover is not fitted		✓			
	BOS-1270015119	<b>Performance Line Logo Cover, Rectangular</b> For drive units with manufacturer-specific design cover		✓			
	BOS-1270015106	<b>Performance Line CX Logo Cover</b> Black If design cover is fitted			✓		
	BOS-1270015102	<b>Performance Line CX Logo Cover</b> Black, including spacer ring If design cover is not fitted			✓		
	BOS-1270015120	<b>Performance Line CX Logo Cover, Rectangular</b> Black Adapter 1.270.015.122 is also required if design cover is not fitted or for drive units with manufacturer-specific design cover			✓		
	BOS-1270015122	<b>Logo Cover Adapter Rectangular</b> Black For powder coated drive units if design cover is not fitted		✓	✓		

**NEW** New article, available from September 2018

 Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible

FIGURE	PRODUCT CODE	DESCRIPTION	COMPATIBLE WITH PRODUCT LINE				
			Active Line (BDU2XX)	Performance Line (BDU2XX)	Performance Line CX (BDU2XX)	Active Line (BDU3XX)	Active Line Plus (BDU3XX)
	BOS-1270014001	<b>Cover Ring</b> Black For Active and Performance design cover, right	✓	✓	✓		
	BOS-1270014002	<b>Cover Ring</b> Black For Active and Performance design cover, left	✓	✓	✓		
	BOS-1270014028	<b>Cover Ring</b> Platinum For Active design cover, right	✓	(✓)	(✓)		
	BOS-1270014027	<b>Cover Ring</b> Platinum For Active design cover, left	✓	(✓)	(✓)		

**NEW** New article, available from September 2018

 Retrofit product for the end customer

✓ Technically compatible and color-coordinated

(✓) Technically compatible